



# DECLARATION OF PERFORMANCE 6T0001

# 6T

6 Chamber Stormproof Casement Window  
6T-1.0-1200-MAY26

ASHI Group Limited  
Liberator Road, Norwich, Norfolk, NR6 6EU

BS EN 14351-1:2006+A2:2016

Windows and doors - Product standard, performance characteristics - Part 1: Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage characteristics.

Window intended for use in domestic and commercial locations.

## System of AVCP

System 3

## Notified Bodies

BSI Assurance UK Ltd - (0086) - BS 6375-1:2015+A1:2016 - Test Report: 30170439  
British Fenestration Rating Council Ltd - (8543) - ISO 10077-1:2017 - Test Report: U26-023-3

## Quality Management System & Factory Production Control

BSI Assurance UK Ltd - UKAS Accreditation - 0003  
Certificate Numbers: FM 11180, KM 12876, KM13828, KM 33532 & KM 33533

Essential Characteristic	Performance	Classification Standard	Report Reference
Watertightness	Class 3B (100 Pa)	EN 12208:2016	30170439
Dangerous substances	None	CWFT	Declaration
Resistance to wind load	Class 3 (1200 Pa)	EN 12210:2000	30170439
Load bearing capacity of safety devices	NPD	N/A	N/A
Acoustic performance	NPD	N/A	N/A
Thermal transmittance	1.3 W/m <sup>2</sup> .K	ISO 10077-1:2017	U26-023-3
Thermal transmittance - windows with single Georgian or cottage bar	1.4 W/m <sup>2</sup> .K	ISO 10077-1:2017 EN 14351-1:2006	U26-023-3
Thermal transmittance - windows with multiple Georgian or cottage bar	1.5 W/m <sup>2</sup> .K	ISO 10077-1:2017 EN 14351-1:2006	U26-023-3
Radiation properties	NPD	N/A	N/A
Air permeability	Class 2 (300 Pa)	EN 12207:2000	30170439

## Declaration of Performance

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011 [as it has effect in the United Kingdom in respect of Great Britain], under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the  
manufacturer by:

  
Matthew Cubitt  
Head of Technical & Quality

May 2026  
Norwich UK