



# Declaration of Performance

Anglian Home Improvements (Trading as Anglian Windows Ltd)

PO Box 65

Norwich

NR6 6EJ

[www.anglianhome.co.uk](http://www.anglianhome.co.uk)



Standard doorset intended for use in domestic and commercial locations.

White Knight PVCU Sliding Patio Doorset

Code 'UK'

BS EN 14351-1:2006 + A1:2010

| Essential Characteristics  | Performance            | Notified Body | Attestation and Verification of Constancy of Performance (AVCP)              | System 1 Notified Product Certification Body |                    |
|--|------------------------|---------------|--|--|--------------------|
|  |                        |               |  | Notified Product Certification Body Number   | Certificate Number |
| Watertightness   | Class 4A (150Pa)       | 0086          | System 3   |  |                    |
| Dangerous substances (Indoor impact only, roof windows excluded) | None                   | CWFT          | System 3 - subject to being deemed to satisfy without further testing (CWFT) |  |                    |
| Resistance to wind load  | Class B2 (800Pa)       | 0086          | System 3   |  |                    |
| Impact resistance (glazed doors with injury risk only)           | npd                    | n/a           | System 3   |  |                    |
| Load-bearing capacity of safety devices                          | npd                    | n/a           | System 3   |  |                    |
| Height   | npd                    | n/a           | System 4   |  |                    |
| Ability to release (locked door in escape routes only)           | npd                    | n/a           | System 1   | n/a  | n/a                |
| Acoustic performance   | npd                    | n/a           | System 3   |  |                    |
| Thermal Transmittance  | 1.5 W/m <sup>2</sup> k | 0086          | System 3   |  |                    |
| Radiation properties   | npd                    | n/a           | System 3   |  |                    |
| Air permeability   | Class 4 (600Pa)        | 0086          | System 3   |  |                    |

Signed on behalf of the Manufacturer:

Date: 18 / 05 / 2017

Paul Kellett ~ Technical Director